

Cordyline Renegade ('Tana')

Key Features

- ✓ Broad glossy deep purple-black foliage
- ✓ Unique clump forming habit normally associated with Phormium / NZ Flax.
- ✓ A striking impulse plant with a long period of seasonal interest.

Characteristics

Genus & Species:	<i>Cordyline banksii x australis x pumilo</i>
Protection Status:	PP18,605. COPF Open.
USDA Zone:	Zone 8-11, (10°F or -12°C).
Bloom:	Fragrant jasmine scented sprays of tiny white star shaped blooms.
Bloom Time:	Mid-late summer.
Foliage:	Broad, glossy deep purple-black foliage.
Habit:	Tight clumping habit. 3' x 3'.
Propagation:	TC / Toe cuttings. <i>License required for propagation.</i>
Culture:	Well-drained soil in full sun to part shade.
Additional Comments:	Cordyline are a gross feeding plant. Regular liquid balanced feeds including trace elements will enhance the foliage color. Drought tolerant once established.
Uses:	Pots & Containers, Garden Border, Modern landscape.

Approximate Finishing Time

4.5" Quarts:	12-16 weeks from a 72 cell transplant (Spring Planting).
6" Gallons:	20-24 weeks from a 72 cell transplant (Spring Planting).

<p>Closest Variety: C. Festival Grass™ ('Jurred') PP 14,224</p>	<p>Key Differences:</p> <ul style="list-style-type: none"> ✓ Renegade broad purple-black foliage vs. narrow red-plum foliage. ✓ Renegade fragrant flowers at a young age vs. regular age. ✓ Renegade quicker growing vs. regular
---	--

PlantHaven Disclaimer: These Grower Notes are based on our experience with this crop. Growth will vary depending on location, climate, growing medium and cultural practices. Where fertilizer & chemical use is involved, read the labels, follow the manufacturer's instructions & practice careful trialing methods. Note: All PlantHaven varieties are subject to patent protection: unlicensed propagation prohibited.

